

Work Order ID 148725

Wednesday, July 06, 2016 8:44:45 AM

148725

Page 1

Item ID: D3183-5 Accept ***N900040100*** Setup Start ***NS1***
 Revision ID: Stop ***NS2***
 Item Name: Bearing
 Start Date: 7/4/2016 Start Qty: 50.00 ***50*** Cust Item ID:
 Required Date: 7/6/2016 Req'd Qty: 50.00 ***50*** Customer:
 Reference:

Approvals: Process Plan: **DAS 21** Date: **JUL 11 2016** Tooling: Date: Run Start ***NR1***
 QC: **9-89** Date: SPC (Y/N): Date: Stop ***NR2***

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
Draw Nbr	Revision Nbr								
D3183	Rev C1								DAS
100	PURCHASING	0.00							13
100									9-89
Purchasing	Memo	0.00							
Purchasing	Issue P/O: 32979 Bearing as per Dwg D3183 Single row, deep groove, Conrad type, shielded Possible Supplier: NSK P/N 6800ZZ Certificate of conformity note is required								
110	Receive & Inspect for Damage & Mat'l Certs	0.00							
110									
Packaging	Memo	0.17							
Packaging	Ensure certificate of conformity is attached								
120	QC6- Inspect dimensions to drawing	0.00							
120									
QC	Memo	0.00							
Quality Control									

50

JUL 11 2016

50x 8016-7-12

50

DAS
38
9-89

JUL 13 2016

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐																																																													
Date :		Step #:		QTY Effective :			MRB (QS1042) Approval																																																										
Description Work Order Deviation				Disposition				Completed By Lead hand / Supervisor Approval Verification QC / QA Coordinator Approval																																																									
Root Cause		FAULT CATEGORY																																																															
Environment ☐	No Re-verification ☐	Pressure/Forced ☐	Temperature/Cure ☐	Power Loss/Surge ☐	Positioned Wrong ☐	Design ☐	Operator ☐	Bending ☐	Set-up ☐	Folio/Program ☐	Outside Dimensions ☐	Doc/Data ☐	Offset/Setup ☐	Centre Not Concentric ☐	BOM/Route ☐	Grain ☐	Over/Under tolerance ☐	Equip/Tooling ☐	Supplier ☐	Cracks ☐	Broken/Damage/Defect ☐	Weld ☐	Part Incorrect ☐	Handling/Pre ☐	Training ☐	Crimp/Kink/Ripple/Wave ☐	Inspection Incomplete/Unqualified ☐	Wrong Stock Pulled ☐	Part Lost/Missing ☐	Material ☐	Use for Testing ☐	Cuffs ☐	Contamination ☐	Out of Sequence ☐	Part Moved ☐	Internal Transport ☐	Poor Information ☐	Crushing ☐	Countersink ☐	Off-set ☐	Drawing ☐	Tribal Knowledge ☐	Rushing ☐	Heat Treat ☐	Cut Too Short ☐	Mislabeled ☐	Finish ☐	LOA ☐	Product Improvement ☐	Wave/Twist in Tube ☐	Instructions Incomplete/Unclear ☐	Fit/Function ☐	Misread ☐	Substation ☐	Process Improvement ☐	Marks/Chatter ☐	Drill Holes ☐	Misaligned/off center ☐	Turning Sequence ☐	Past Expiry Date ☐	Manufacturing Process ☐	OTHER : _____			
Misidentified ☐	Past Due ☐																																																																

Work Order ID 148725***148725***

Page 2

Wednesday, July 06, 2016 8:44:45 AM

Item ID: D3183-5

Accept

N900040100Setup Start ***NS1***

Revision ID:

Stop ***NS2***

Item Name: Bearing

Start Date: 7/4/2016

Start Qty: 50.00

50

Cust Item ID:

Required Date: 7/6/2016

Req'd Qty: 50.00

50

Customer:

Reference:

Approvals: Process Plan: _____ Date: _____ Tooling: _____ Date: _____

Run Start ***NR1***

QC: _____ Date: _____ SPC (Y/N): _____ Date: _____

Stop ***NR2***

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
--------------------------------	--------------------------	----------------------	---------	--------	--------------	---------------	---------------	------------------	----------------

130

Identify as per dwg & Stock Location: **51020**

0.00

130

Packaging

Memo

0.08

Packaging

SD **DAS**
6
9-89**JUL 14 2016**

140

QC21- Final Inspection - Work Order Release

0.00

140

QC

Memo

0.83

Quality Control

DAS
21
9-89**JUL 14 2016****DAS**
21
9-89**JUL 14 2016**

DQA: _____ Date: _____

**WORK ORDER NON-CONFORMANCE / UPDATE**

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐					
Date :		Step #:		QTY Effective :			MRB (QS1042) Approval		
Description Work Order Deviation				Disposition				Completed By Lead hand / Supervisor Approval Verification QC / QA Coordinator Approval	
Root Cause		FAULT CATEGORY							
Environment ☐	No Re-verification ☐	Pressure/Forced ☐	Temperature/Cure ☐	Power Loss/Surge ☐	Positioned Wrong ☐				
Design ☐	Operator ☐	Bending ☐	Set-up ☐	Folio/Program ☐	Outside Dimensions ☐				
Doc/Data ☐	Offset/Setup ☐	Centre Not Concentric ☐	BOM/Route ☐	Grain ☐	Over/Under tolerance ☐				
Equip/Tooling ☐	Supplier ☐	Cracks ☐	Broken/Damage/Defect ☐	Weld ☐	Part Incorrect ☐				
Handling/Pre ☐	Training ☐	Crimp/Kink/Ripple/Wave ☐	Inspection Incomplete/Unqualified ☐	Wrong Stock Pulled ☐	Part Lost/Missing ☐				
Material ☐	Use for Testing ☐	Cuffs ☐	Contamination ☐	Out of Sequence ☐	Part Moved ☐				
Internal Transport ☐	Poor Information ☐	Crushing ☐	Countersink ☐	Off-set ☐	Drawing ☐				
Tribal Knowledge ☐	Rushing ☐	Heat Treat ☐	Cut Too Short ☐	Mislabeled ☐	Finish ☐				
LOA ☐	Product Improvement ☐	Wave/Twist in Tube ☐	Instructions Incomplete/Unclear ☐	Fit/Function ☐	Misread ☐				
Substation ☐	Process Improvement ☐	Marks/Chatter ☐	Drill Holes ☐	Misaligned/off center ☐	Turning Sequence ☐				
Past Expiry Date ☐	Manufacturing Process ☐								
Misidentified ☐	Past Due ☐	OTHER : _____							

Picklist Print

Wednesday, July 06, 2016 8:44:44 AM

Page 1

Work Order ID: 148725

148725

Parent Item: D3183-5

D3183-5

Parent Item Name: Bearing

Start Date: 7/4/2016

Required Date: 7/6/2016

Start Qty: 50.00

Required Qty: 50.00

Comments: IPP: A03.03.27New issueKJ/RF

Component Item ID/ Item Name	Replacement Item ID	Mfg/ Purch	Bin Item	Primary Location	Last Location	Route Seq ID	Unit of Measure	Qty on Hand	Qty per Kit	Total Qty	Qty Issued	Date Issued	Status
6800ZZ		Purchased	No			100	Each	0.0000	1	50			
680077									**				
Bearing													

50x 8/16-7-12

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____


Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐							
Date :		Step #:		QTY Effective :			MRB (QSI042) Approval				
Description Work Order Deviation				Disposition				Completed By			
								Lead hand / Supervisor Approval Verification			
								QC / QA Coordinator Approval			
Root Cause				FAULT CATEGORY							
Environment ☐ Design ☐ Doc/Data ☐ Equip/Tooling ☐ Handling/Pre ☐ Material ☐ Internal Transport ☐ Tribal Knowledge ☐ LOA ☐ Substation ☐ Past Expiry Date ☐ Misidentified ☐		No Re-verification ☐ Operator ☐ Offset/Setup ☐ Supplier ☐ Training ☐ Use for Testing ☐ Poor Information ☐ Rushing ☐ Product Improvement ☐ Process Improvement ☐ Manufacturing Process ☐ Past Due ☐		Pressure/Forced ☐ Bending ☐ Centre Not Concentric ☐ Cracks ☐ Crimp/Kink/Ripple/Wave ☐ Cuffs ☐ Crushing ☐ Heat Treat ☐ Wave/Twist in Tube ☐ Marks/Chatter ☐		Temperature/Cure ☐ Set-up ☐ BOM/Route ☐ Broken/Damage/Defect ☐ Inspection Incomplete/Unqualified ☐ Contamination ☐ Countersink ☐ Cut Too Short ☐ Instructions Incomplete/Unclear ☐ Drill Holes ☐		Power Loss/Surge ☐ Folio/Program ☐ Grain ☐ Weld ☐ Wrong Stock Pulled ☐ Out of Sequence ☐ Off-set ☐ Mislabeled ☐ Fit/Function ☐ Misaligned/off center ☐		Positioned Wrong ☐ Outside Dimensions ☐ Over/Under tolerance ☐ Part Incorrect ☐ Part Lost/Missing ☐ Part Moved ☐ Drawing ☐ Finish ☐ Misread ☐ Turning Sequence ☐	
OTHER : _____											




DESIGN #	DRAWN BY CP	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
CHECKED #	APPROVED #	DRAWING NO. D3183	REV. C SHEET 1 OF 4
DATE 04.02.17		TITLE BRACKET ASSEMBLY	SCALE 1:1
A	03.01.24	NEW ISSUE	
B	03.06.17	REMOVE BEARING; 1.012 WS 0.882	
C	04.02.17	ADD -045/-9; 0.182 WAS 0.431	
C1	04.11.09	0.830 WAS 0.850	

RELEASED
04 03 01
DEO ATTACHED




D3183-041 BRACKET ASSEMBLY (SHOWN)
D3183-042 BRACKET ASSEMBLY (OPPOSITE)
D3183-043 BRACKET ASSEMBLY (SIMILAR)
D3183-044 BRACKET ASSEMBLY (SIMILAR)

SHOP COPY
RETURN TO
ENGINEERING
UNCONTROLLED COPY
SUBJECT TO AMENDMENT
WITHOUT NOTICE
WORK ORDER
NO. 148725 MLS
16-07-11



D3183-5 BEARING:
SPECIFICATION CONTROL DRAWING

- 1) SINGLE ROW, DEEP GROOVE, CONRAD TYPE, SHIELDED
- 2) POSSIBLE SUPPLIER: NSK P/N 6800ZZ
- 3) ALL DIMENSIONS ARE IN INCHES



D3183-7 WASHER

- 1) MATERIAL: AISI 303 ROUND BAR (M303R) ANNEALED
- 2) BREAK ALL SHARP EDGES 0.005 TO 0.010
- 3) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) ALL DIMENSIONS ARE IN INCHES


COPYRIGHT © 2003 BY DART AEROSPACE LTD.

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.

GA COP
3505

REV. C
SHEET 2 OF 4
SCALE
1:2

100



D3183-1 BRACKET SHOWN
D3183-2 BRACKET OPPOSITE

- 1) D3183-1 CAN BE MADE FROM D3183-3
D3183-2 CAN BE MADE FROM D3183-4
- 2) MATERIAL: 17-4 SS PER AMS 5604/5643
(REF DART SPEC. M17-4-B)
MIN ULTIMATE STRENGTH = 150 ksi
MIN YIELD STRENGTH = 100 ksi
- 3) BREAK ALL SHARP EDGES 0.005 TO 0.015
- 4) ENGRAVE DART P/N & LOGO AS SHOWN
- 5) TOLERANCES ARE PER DART QSI 018 UNLESS
OTHERWISE NOTED
- 6) ALL DIMENSIONS ARE IN INCHES

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.



COPYRIGHT © 2003 BY DART AEROSPACE LTD.

COPYRIGHT © 2003 BY DART AEROSPACE LTD

DART



DESIGN	DRAWN BY	DART AEROSPACE LTD
CHECKED	APPROVED	HAWKESBURY, ONTARIO, CANADA
DATE	04.02.17	DRAWING NO. D3183
TITLE	BRACKET ASSEMBLY	REV. C
SCALE	1:2	SHEET 3 OF 4



D3183-3 BRACKET SHOWN
 (REPLACES BELL P/N 412-030-304-105)
D3183-4 BRACKET OPPOSITE
 (REPLACES BELL P/N 412-030-304-106)

- 1) MATERIAL: 17-4 SS PER AMS 5604/5643
 (REF DART SPEC. M17-4-B)
 MIN ULTIMATE STRENGTH = 150 ksi
 MIN YIELD STRENGTH = 100 ksi
- 2) BREAK ALL SHARP EDGES 0.005 TO 0.015
- 3) ENGRAVE DART P/N & LOGO AS SHOWN
- 4) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED
- 5) ALL DIMENSIONS ARE IN INCHES


COPYRIGHT © 2003 BY DART AEROSPACE LTD.

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.

RELEASED
 24 03 01



DESIGN <i>[Signature]</i>	DRAWN BY <i>[Signature]</i>	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
CHECKED <i>[Signature]</i>	APPROVED <i>[Signature]</i>	DRAWING NO. D3183	REV. C SHEET 4 OF 4
DATE 04.02.17		TITLE BRACKET ASSEMBLY	SCALE 1:1





DETAIL A (2 : 1)

RELEASED
04.03.01

DEO ATTACHED

DETAIL B (20 : 1)



D3183-9 CAP

- 1) MATERIAL: DELRIN ROD, Ø1.00
(REF DART SPEC. M-DELRIN-R1.00)
- 2) TOLERANCES ARE PER DART QSI 018
UNLESS OTHERWISE NOTED
- 3) ALL DIMENSIONS ARE IN INCHES

D3183-045 BEARING ASSEMBLY

- 1) ASSEMBLE D3183-5 BEARING AND
D3183-9 CAP

COPYRIGHT © 2003 BY DART AEROSPACE LTD.

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.



Dart Aerospace Ltd.
1270 Aberdeen Street
Hawkesbury, ON K6A 1K7
Tel: 613 632 9577
Fax: 613 632 1053

PURCHASE ORDER

Purchase Order ID **PO32979**

Purchase Order Date 7/11/2016 1:25:18 PM

PO Print Date 7/11/2016

Page Number 1 of 1

Order From :

VC-MAI001

MAIN INDUSTRIAL SALES LTD.
1475, TESSIER
HAWKESBURY, ON K6A 3S6
CA

Ship To : DART AEROSPACE LTD

1270 ABERDEEN
HAWKESBURY, ON K6A 1K7
CANADA

E-MAILED

JUL 11 2016

Contact Name

Vendor Phone 613 632 3595

Ship To Contact

Ship To Phone

Ship Via: Yours ppd

Ship Acct:

Buyer

Chantal Lavoie

Customer POID

Customer Tax #

10127-2607

Terms

Net 30

Currency

CAD

FOB

FCA - (Free Carrier)

Line Nbr	Reference Vendor Part Number Line Comments Delivery Comments	Description/ Mfg ID	Req Date/ Taxable Promise Date	CD	Req Qty/ Unit of Measure	PO Unit Price	Extended Price
1	6800ZZ AS PER DWG D3183 REV. C B148725	Bearing	7/13/2016 Yes 7/13/2016		50.00 Each	\$1.48	\$74.00
Line Total:							\$74.00
2	71401-45	PROCUREMENT QUALITY CLAUSES	7/13/2016 No 7/13/2016		1.00	\$0.00	\$0.00
Line Total:							\$0.00
PO Total:							\$74.00

SP16-7-12

cd u

Note: Terms & Condition of Purchasing(Suppliers) and Procurement Quality Clauses are an integral part of our AS9100 requirements. To learn in detail, please visit www.dartaerospace.com for further explanation.

Change Nbr: 1

Change Date: 7/11/2016

MAIN INDUSTRIAL SALES LTD.

1475 TESSIER ST.
HAWKESBURY ON K6A 3S6
Phone: (613) 632-3595 Ext. Fax: (613) 632-0262
sales@mainindustrialsales.com

Packing Slip

DATE July 11, 2016

NUMBER 0000195331

CUSTOMER NO. DART

BILL TO:

DART AEROSPACE LTD.
1270 ABERDEEN ST.
HAWKESBURY ON K6A 1K7

SHIP TO:

DART AEROSPACE LTD.
1270 ABERDEEN ST.
HAWKESBURY ON K6A 1K7

(613) 632-5200 Ext.

(613) 632-5200 Ext.

P.O. NUMBER	SALESPERSON	ORDER DATE	REQ. DATE	ORDER NUMBER
32979	EB	11-Jul-16		0000195331
F.O.B.	SHIP VIA	TERMS		
F.O.B. value	OUR TRUCK / LOCAL	NET 30 DAYS		
PART NUMBER	LOCATION	UOM	QUANTITY	
DESCRIPTION			REQ.	SHIPPED B.O.
0-68002ZKML BALL BEARING YOUR PART #: 6800ZZ	6D6	EA	50	50

SP/6-7-12.

CERTIFICATE OF COMPLIANCE

RE: 6800-ZZ BEARING

To Whom It May Concern:

Our bearing rings and balls are made of high carbon chromium steel GCr15 which has a chemical composition equivalent to SAE 52100. The hardness of bearing rings is HRC 59-64 and HRC 60-65 for steel balls. Unless specify, bearings are 25-30% filled with Alvania No. 2 grease or Chevron SRI#2 grease or equivalent.

Stella Fan
Phone: 905-629-4255
Fax: 905-629-2358

